


الحملة الوطنية للتحصين ضد شلل الأطفال  
15-17 ديسمبر 2007م

الوضع الوبائي

Wild polio cases in Yemen by week of onset,  
 from week 01 beginning 27/12/04 - week 23 ending 11/06/2006



Week/Year      ↓ NIDs      ↓ SNIDs

# Ibb wild polio case in 2006





Table 3:

Annualized Nonpolio AFP Rates by Governorate, as of 8 December 2007


Governorate	POP<15YS	Expected AFP cases/year at 2/100,000	Nonpolio AFPCases <15YS	Annualized NPAFP Rate <15YS
ABYAN	223758	5	14	6.64
ADEN	318173	7	22	7.34
ALBAIDAH	299939	6	12	4.25
ALDHALE	250908	5	7	2.96
ALHUDAIDAH	1140442	23	42	3.91
ALJAWF	232495	5	7	3.20
ALMAHARA	48453	1	3	6.57
ALMAHAWEET	259905	6	10	4.08
AMRAN	448361	9	13	3.08
DHAMAR	699095	14	28	4.25
HADRAMOAT ALMUKLLAA	235556	5	8	3.60
HADRAMOAT SAYEUN	216641	5	17	8.33
HAJDAH	789767	16	28	3.76
IBB	1107243	22	38	3.64
LAHAJ	375934	8	12	3.39
MARIB	126738	3	5	4.19
RIMAH	207268	5	8	4.10
SAADAH	375011	8	11	3.11
SANAA	470405	10	16	3.61
SANAA CITY	898875	18	25	2.95
SHABWAH	247326	5	7	3.00
TAIZ	1238764	25	35	3.00
<b>Grand Total</b>	<b>10211057</b>	<b>211</b>	<b>368</b>	<b>3.82</b>

\*Note: No of reported cases  $\geq 15$  Yrs = 2, One from IBB and other from Albaidah .

**Chart3:**  
Stool Adequacy rates by Years,as of 2 December 2007



**Chart 4:**  
NonPolio AFP Rates by years,as of 09 December 2007



# LESSONS LEARNED

1. Routine immunization with at least 4 doses is vital to keep population immunity.
2. Remain alert on the possibility of polio.
3. Maintain high levels of AFP surveillance.
4. Avoid complacency