

CONTENTS

	Page
CHAPTER 1 INTRODUCTION	1
1.1 Geographic Characteristics	1
1.2 Historical Review	3
1.3 Population Characteristics	4
1.4 Socioeconomic Conditions	5
1.5 Organization of the Report	6
CHAPTER 2 SURVEY DESIGN AND IMPLEMENTATION	7
2.1 Survey Objectives	7
2.2 Survey Activities	7
2.3 Work Plan	9
2.4 Pretest	9
2.5 Sample design	9
2.6 Data Collection and Processing	10
CHAPTER 3 MAIN CHARACTERISTICS OF HOUSEHOLDS	12
3.1 Household Size and Composition	12
3.2 Age – sex Structure	12
3.3 Marital status of Population of 15-years of Age and Older	14
3.4 Educational Level	14
3.5 School-attendance	15
3.6 Working Status	16
3.7 Housing Characteristics	17
3.8 Garbage Disposal	20
3.9 Possession of Durable Goods	21
CHAPTER 4 BACKGROUND CHARACTERISTICS OF FEMALE RESPONDENTS	22
4.1 General Characteristics	22
4.2 Characteristics of Married Women in Comparison with Husbands' Characteristics	23
4.3 Exposure to Mass Media	24
4.4 Work Status	25
CHAPTER 5 PREVALENCE OF POPULATION SUFFERING FROM CHRONIC DISEASES, DISABILITY AND SMOKING	29
5.1 Chronic Diseases	29
5.2 Disability	32
5.3 Smoking	36
5.4 Chewing El-Kat	37
5.5 El-Shaman	38

CHAPTER 6	MARRIAGE PATTERNS	40
	6.1 Marital Status	40
	6.2 Age at Marriage	42
	6.3 Consanguineous Marriage	43
	6.4 Polygamy	44
	6.5 Stability of Marriage	45
CHAPTER 7	FERTILITY PATTERNS	47
	7.1 Currently Pregnant Women	47
	7.2 Levels and Differentials of Current Fertility	48
	7.3 Fertility Trends	49
	7.4 Cumulative and Completed Fertility	52
	7.5 Pregnancy and Motherhood Under 20	57
	7.6 Level of Childlessness	58
CHAPTER 8	FAMILY PLANNING	60
	8.1 Ever Use of Family Planning Methods	61
	8.2 Current Use of Family Planning Methods	65
	8.3 Decision about Using Family Planning Methods	68
	8.4 Duration of Using Family Planning Methods	68
	8.5 Problems of Using Family Planning Methods	69
	8.6 Reasons for Stopping the Use of Family Planning Methods	70
	8.7 Sources of Family Planning Methods	70
	8.8 Intention To Use Family Planning in The Future	71
CHAPTER 9	MATERNAL CARE	73
	9.1 Currently Pregnant women	73
	9.2 Medical Care at Delivery	79
	9.3 Postnatal Care	83
	9.4 Postnatal Medical Complications	84
	9.5 Miscarriage	85
CHAPTER 10	PREVALENCE OF CHRONIC AND REPRODUCTIVE ILLNESS AMONG WOMEN	88
	10.1 Prevalence of Chronic Diseases	88
	10.2 Prevalence of Chronic Illnesses	89
	10.3 Prevalence of Reproductive System Diseases	91
	10.4 Menses Problems	94
	10.5 Source of Consultation and Obstacles Preventing from Using Health Care	96

CHAPTER 11	SEXUALLY TRANSMITTED DISEASES	99
	11.1 Knowledge About Sexually Transmitted Diseases (STD)	99
	11.2 Sources of Knowledge	100
	11.3 Knowledge of AIDS Infection Methods and How to Avoid It	101
	11.4 Infection With Sexually Transmitted Diseases	102
CHAPTER 12	CHILDREN NUTRITIONAL STATUS	105
	12.1 Height for Age (Stunting)	106
	12.2 Weight for Height (Wasting)	106
	12.3 Weight for Age (Underweight)	107
	12.4 Yemen Situation according to World Health Organization (WHO) Classification	108
	12.5 Use of Iodized Salt	108
CHAPTER 13	INFANT AND CHILD MORTALITY	109
	13.1 Levels of Child Mortality	109
	13.2 Trends and Levels of Infant and Child Mortality	110
	13.3 Differentials in Infant and Child Mortality	110
CHAPTER 14	BREASTFEEDING AND INFANT NUTRITION	112
	14.1 Initiation of Breastfeeding	112
	14.2 Introduction of Complementary Feeding	113
	14.3 Duration and Frequency of Breastfeeding	115
	14.4 Complementary Food and Bottle Feeding	117
	14.5 Weaning Mode	118
CHAPTER 15	IMMUNIZATION AGAINST CHILDREN DISEASES	120
	15.1 Availability of Vaccination Cards	120
	15.2 Vaccination Coverage among Children (12-23 months old)	121
	15.3 Completeness of Immunization Coverage (12-59 months)	122
	15.4 Vitamin A Supplementation	123
Chapter 16	CHILD MORBIDITY	124
	16.1 Respiratory Infections	124
	16.2 Diarrhea	127
Chapter 17	FERTILITY ATTITUDES TOWARDS FERTILITY AND FAMILY PLANNING	133
	17.1 Desire for Additional Children	133
	17.2 Attitude towards Using Family Planning Methods	137
	17.3 Husbands' Attitudes from Respondents' Viewpoints	138

17.4	Met Needs and the Total Demand for Family Planning	141
17.5	Number of Desired Children	143
17.6	Attitude towards Births Spacing	145
17.7	Attitude towards Marriage and Reproduction of Daughters	
CHAPTER 18	FEMALE CIRCUMCISION	149
18.1	Prevalence of Female Circumcision	149
18.2	Age at Circumcision and the Way it was Performed	150
18.3	Attitude towards Female Circumcision	152
18.4	Violence Against Women	155
CHAPTER 19	MATERNAL MORTALITY	157
19.1	Estimation of Maternal Mortality Rate	157
19.2	General Characteristics of Dead Mothers	157
19.3	Maternal Health Care for Dead Mothers	160
19.4	Place of Last Delivery	162
19.5	Dying Circumstances	163
19.6	Direct Cause of Death	164
CHAPTER 20	SUMMARY AND RECOMMENDATIONS	165
20.1	Main Findings	165
20.2	Recommendation	173
ANNEXES		
	Annex 1: Sampling Errors	
	Annex 2: Survey Questionnaires	
	Annex 3: Survey Workers	

LIST OF TABLES

	Page	
Table 2.1	Results of the household and individual interviews	10
Table 3.1	Percent distribution of the households by number of household members according to place of residence	12
Table 3.2	Percent distribution of the population according to current age, sex and place of residence	13
Table 3.3	Percent distribution of population aged 15 and above by marital status and place of residence	14
Table 3.4	Percent distribution of the population (10 years and older) by educational level, sex & place of residence	15
Table 3.5	Percentages of population 6-17-year olds enrolled in educational association by sex and age and place of residence	15
Table 3.6	Percentages of population aged 15 years and older who were working during the time of the survey by sex and place of residence	16
Table 3.7	Distribution of working population aged 15 and older, by their employment status, sex and place of residence	16
Table 3.8	Distribution of household according to the main Housing characteristics by place of residence	18
Table 3.9	Distribution of households by type and location of drinking water source and place of residence	18
Table 3.10	Percent distribution of households by availability of toilet facility, source of lighting, and type of used fuel according to place of residence	19
Table 3.11	Distribution of households by manner and number of garbage disposal, and nature of surrounding area by place of residence	20
Table 3.12	Percentages of households having specific consumer goods, according to place of residence	21
Table 4.1	Percent distribution of ever married women (15-49) by selected background characteristics and place of residence	22
Table 4.2	Percent distribution of ever married women (15-49) by their educational level and that of their current or previous husbands	23
Table 4.3	Mean age of husband and wife for all currently married women by place of residence	24
Table 4.4	Percent distribution of ever-married women aged 15-49 by frequency of watching TV, reading newspapers and listening to radio, according to educational level and place of residence	25
Table 4.5	Percent distribution of ever-married women who are not currently working by intention to work in the future and selected background characteristics	26

Table 4.6	Distribution of ever-married women who reported their intention to work in future or being unsure of that by the person controlling the decision to work and selected background characteristics	27
Table 4.7	Percent distribution of currently working women by stability of work and selected background characteristics	28
Table 4.8	Percent distribution of currently working women by mode of payment and selected background characteristics	28
Table 5.1	Percentages of population who suffering from chronic diseases (one disease or more) by place of residence and sex	30
Table 5.2	Percentages of population suffering from chronic diseases by sex and age group (presence of one disease or at least one disease)	31
Table 5.3	Percentages of population suffering from the most common chronic diseases by type of diseases, sex and place of residence	31
Table 5.4	Percentages of population suffering from the most common chronic diseases by type of diseases, sex and age group	32
Table 5.5	Percent distribution of the survey sample population by disability status, sex and place of residence	33
Table 5.6	Levels of disabled population (per thousand) by age group and sex*	34
Table 5.7	Percentages of the disabled population by type of handicap, place of residence and sex	34
Table 5.8	Percentages of the disabled population by type of handicap and sex	34
Table 5.9	Percent distribution of the disabled people by cause of the handicap, place of residence and sex	35
Table 5.10	Percent distribution of the disabled people according to the age when the handicap started and whether they received any care during the previous 12 months, sex and place of the residence	35
Table 5.11	Percent distribution of population aged 10 years and older by smoking status, place of residence and sex	36
Table 5.12	Percentages of population (10 years +) chewing (storing) EI-Kat and its frequencies by place of residence and sex	37
Table 5.13	Percentages of chewing (storing) EI-Kat and its frequencies by place of residence and sex	39
Table 6.1	Distribution of population aged 15 and more by marital status, age and sex	41
Table 6.2	The singulate mean age at first marriage (SMAM) for both males and females by place of residence & educational level	42

Table 6.3	Percentages of ever married women (20-49) who were first married by exact age 18, 20 by age.	43
Table 6.4	Percent distribution of the ever-married women, by their relationship to their spouse, according to place of residence and educational level	44
Table 6.5	Percentages of women married to polygamous husbands by age groups, place of residence and educational level	45
Table 6.6	Percentages of ever-married women (15-49) who married only once and women whose first marriage was dissolved and women who remarried among those whose marriage was dissolved by age, place of residence, and educational level	46
Table 7.1	Percentages of married women pregnant at the time of the survey by age group and place of residence	48
Table 7.2	Age-specific fertility rates (per 1,000 women) and total fertility rate (per woman) during the five years period before the survey, by place of residence and educational level	49
Table 7.3	Trends of total fertility rates of three 5-year periods Prior to the survey by place of residence and women's educational level	50
Table 7.4	Trends of age-specific fertility rates per 1000 women, for five-year periods before the survey, by place of residence	51
Table 7.5	Percent distribution of married or ever-married women by number of live births and mean number of live births	52
Table 7.6	Percent distribution of married or ever-married women (15-49) by number of live births and current age	53
Table 7.7	Parity progression ratio per 1000 married and ever-married women age 45-49	54
Table 7.8	Mean number of live births for ever married woman (15-49) by current age, place of residence, and educational level	55
Table 7.9	Median age at first birth for women 25-49 years old by current age, place of residence and educational level	55
Table 7.10	Percent distribution of births during the five years before the survey by number of months since the preceding birth, and selected background characteristics	57
Table 7.11	Percentages of teenagers (aged 15-19) who are mothers or pregnant with their first child by selected background characteristics	58
Table 7.12	Percentages of non-pregnant currently married and still menstruating women, who are trying to get pregnant but with no success by place of residence and selected background characteristics	59
Table 8.1	Percentages of ever-married women who ever used any or modern family planning method by woman's age	

Table 8.2	Percentages of family planning methods use by type and age group among ever-married women or their spouses about the use of male condom or male sterilization.	61
Table 8.3	Percentages of ever use among ever-married women (15-49) by type of method used (modern or any type else) and some selected demographic variables	62
Table 8.4	Percent distribution of ever-married women who ever used any family planning method by reason for first use and number of living children at first use.	63
Table 8.5	Percent distribution of ever-married women who ever used family planning method by number of living children at first use and woman's age groups	64
Table 8.6	Percent distribution of currently married women currently using family planning by type of method currently used	64
Table 8.7	Contraceptive prevalence rates among married women, by age group, place of residence and method currently used	66
Table 8.8	Percent distribution of current use of Family Planning methods by main decision-maker	67
Table 8.9	Percent distribution of current use of Family Planning methods by period of non-stop use and age	68
Table 8.10	Percentages of current users of family planning methods who faced specific problems during their use by the type of problem faced	69
Table 8.11	Percent distribution of ever-users who are not currently using by the main reason for stopping using contraception and by age	69
Table 8.12	Percent distribution of current users of modern methods by source of obtaining it	70
Table 8.13	Percent distribution of currently married non-user women by intention to use in the future and number of living children	71
Table 8.14	Percent distribution of married women not using and not intending to use Family Planning Methods in the future by reason of not intending to use and woman's age	71
Table 9.1	Percent distribution of ever-married women (15-49) by care received during pregnancy of the last birth in the five years before the survey, and selected background characteristics	72
Table 9.2	Percent distribution of the women who followed up their last pregnancy of the last five years by reason for the first check up and month of the pregnancy at the first checkup	74
Table 9.3	Percent distribution of women who went for antenatal care during the last five years according to number of visits and place for antenatal care	75
Table 9.4	Percentages of women who had their last live birth in the five years	76

	before the survey and received at least one checkup, by the services provided during the checkups	76
Table 9.5	Percentages of women who had iron , vitamins and tetanus vaccines during their pregnancy with the last birth during the five years before the survey by some selected background variables	78
Table 9.6	Percentages of women who suffered from symptoms during their pregnancy with the last birth during the five years before the survey by some selected background variables	79
Table 9.7	Percent distribution of last birth during the five years before the survey by place of delivery and some selected variables	80
Table 9.8	Percent distribution of last birth during the five years before the survey by place of delivery and some selected variables	82
Table 9.9	Percentages of women who received postnatal care after the last birth during the five years before the survey by place of residence and educational level	83
Table 9.10	Percentages of women who suffer from at least one symptom after the last birth during the five years before the survey by symptom and place of residence	85
Table 9.11	Percentages of ever married women who had at least one miscarriage during the five years before the survey	86
Table 10.1	Percent distribution of ever-married women aged 15-49 by their assessment of their current health status compared with that of the past year and some background characteristics	89
Table 10.2	Percentages of women (15-49) who had any chronic diseases according to reports of ever-married women aged 15-49, percentages of who are receiving medical treatment.	90
Table 10.3	Prevalence of reproductive related diseases among ever-married women by some background characteristics	92
Table 10.4	Percentages of women who reported having severe vaginal discharge during the past three months preceding the survey by some background characteristics	94
Table 10.5	Prevalence of menstrual problems during the last three months among ever-married women aged 15-49 still menstruating and non-pregnant according to some background characteristics	95
Table 10.6	Percent distribution of ever married women (15-49) by source of health care facility and some selected background characteristics	97
Table 10.7	Percentages of ever married women (15-49) reporting that there are obstacles preventing them from using health care by type of impediment and some selected background characteristics	98
Table 11.1	Percentages of ever married women (15-49) knowing about some STD's.	99

Table 11.2	Percentages of ever married (15-49) who had knowledge about a number of STD by place of residence and education level	100
Table 11.3	Percentages of women having knowledge about any AIDS by source of knowledge	100
Table 11.4	Percentages of ever-married married women (15-49) with knowledge about AIDS, by knowledge of means of infection and place of residence and education level	101
Table 11.5	Percentages of ever-married women (15-49) who know about AIDS, by their knowledge of different methods of prevention	102
Table 11.6	Percentages of husbands of women infected with STDs' who sought consultation by place of residence and educational level	104
Table 12.1	Percentages of children, less than 5-year old suffering from stunting by some variables	106
Table 12.2	Percentages of children, less than five-years who are suffering from wasting by some characteristics	107
Table 12.3	Percentages of children, less than five-year who are suffering from underweight by some characteristics	107
Table 12.4	World Health Organization (WHO), evaluation of nutritional status in Yemen	108
Table 12.5	Percentages of households according to type of use	108
Table 13.1	Estimation of child Mortality during three 5-year periods prior to the survey, per each 1000 live Births	110
Table 13.2	Neonatal, infants and under 5 mortality rates, during 10 years prior to the survey, by some background characteristics.	111
Table 14.1	Percentages of births ever breast-fed among the last live births during the last three years prior to the survey and their distribution by starting time of breastfeeding and Percentages of those who received pre-lacteal feed according to some characteristics	113
Table 14.2	Percent distribution of living children less than 3 years old according to current feeding status, introduction of complementary feeding, and the child's age in months	114
Table 14.3	Median duration of any breast-feeding, exclusive breastfeeding and predominant breast-feeding, among live births born during the last three years prior to the survey according to some characteristics	116
Table 14.4	Percentages of children less than 6 months old who had 6 breast feeds or more within the 24 hours preceding the survey and the overall mean by background characteristics	117
Table 14.5	Percentages of children less than 2 years old who received	

	certain types of food during the 24 hours before the survey by current breast-feeding status	118
Table 15.1	Among the last born alive children aged 12-23 months, the percentages that have a health card that was seen by the interviewer by sex and place of residence	120
Table 15.2	Among the last born children aged (12 – 23 months old) who have vaccination cards that have been seen, the percentage who received specific vaccination by place of residence and sex of child	121
Table 15.3	Percentages of children aged (12 - 23 months) old who were fully immunized (either from health card or mothers answers), by mother's education level	122
Table 15.4	Percentages of children aged (12 - 59 months old) who have vaccination cards that have been seen, the percentage who received specific vaccination by age of child	123
Table 16.1	percentages of last born alive children under 5 years of age with respiratory infections during the two weeks prior to the survey by age of child, place of residence, and education level	125
Table 16.2	Among the last born alive children under five years of age who had cough or fever during the two weeks preceding the survey, the percentage who received different treatments according to type of treatments and selected background characteristics	127
Table 16.3	Among the last born alive children under five years of age who had diarrhea in the two weeks preceding the survey, the percentage reported as having other symptoms according to selected background characteristics	128
Table 16.4	Among the last born alive children under five years of age who have had diarrhea in the two weeks preceding the survey, the percentage that were taken to seek advice on treatment, according to source consulted and selected background characteristics	130
Table 16.5	Among the last born alive children under five years of age who have had diarrhea in the two weeks preceding the survey, the percentage who received different types of treatment, according to types of treatments and selected background characteristics	132
Table 16.6	Percentages of women by their knowledge of packet of oral dehydration salts by selected background characteristics	132
Table 17.1	Percent distribution of currently married women (15-49) years according to desire for more children by selected background characteristics	135
Table 17.2	Fertility preference of currently married women according to sex composition of living children	136

Table 17.3	Percent distribution of pregnant women at the time of the survey according to their desire for this current pregnancy and background characteristics	136
Table 17.4	Percent distribution of ever-married women (15-49) years according to their attitudes towards family planning use and background characteristics	137
Table 17.5	Percent distribution of currently married women (15-49) years according to frequency of discussing family planning use with husbands during the past year and background characteristics	138
Table 17.6	Percent distribution of currently married women according to final say regarding family planning use and background characteristics	139
Table 17.7	Percent distribution of currently married women (15-49) years according to their perception of husband attitudes regarding family planning use and background characteristics	140
Table 17.8	Percentages of currently married women aged 15-49 with met and unmet needs for family planning and the total demand for family planning by selected background characteristics	143
Table 17.9	Percent distribution of ever-married women (15-49) years according to number of children desired including women who reported nonnumeric responses according to age and education level	144
Table 17.10	Mean ideal number of desired children for ever-married women (15-49) reporting numeric responses according to some selected background characteristics	145
Table 17.11	Percent distribution of ever-married women (15-49) according to main perception of ideal period between two consecutive births by selected background characteristics	146
Table 17.12	Percent distribution of ever-married women (15-49) according to attitudes towards daughter's ideal age at marriage according to place of residence and education level	147
Table 18.1	Percentages of ever-married women who have heard of female circumcision, percentage who have been circumcised; and among ever-married women who have at least any daughter circumcised by selected background characteristics	150
Table 18.2	Percentages of ever-married women who have heard of female circumcision and who favor continuation of female circumcision by reason and selected background characteristics	152
Table 18.3	Percentages of ever-married women who have heard of female circumcision and who favor discontinuation of female circumcision by reason and selected background characteristics	154

Table 18.4	Percentages of women who had been beaten during the last two years before the survey by complaint and person they sought for help by selected background characteristics	156
Table 19.1	Percent distribution of the maternal mortality according to some characteristics	158
Table 19.2	Percent distribution of dead mothers who had experienced a miscarriage, or still birth according to their age at death and education level	159
Table 19.3	Percentages of dead mothers who had ever used a family planning method during their last marriage or between the last two pregnancies according to their age at death and education level	159
Table 19.4	Percentages of dead mothers who received medical care during their last pregnancy by type of care and lace of residence	161

LIST OF FIGURES

	Page	
Figure 3.1	Population Pyramid	13
Figure 5.1	Percentages of population who suffer from at least one chronic disease by place of residence and sex	30
Figure 5.2	Percentages of disabled population by sex and place of residence	33
Figure 5.3	Percentages of smokers according to the age and sex	37
Figure 5.4	Percentages of El-Kat daily use according to the age and sex	38
Figure 5.5	Percentages of current use of El-Shama according to the age and sex	39
Figure 6.1	Percentages of Widowed population aged 15 and above by sex and age groups	41
Figure 7.1	Age-specific fertility rates by place of residence	49
Figure 7.2	Age-specific fertility rates during two five-year periods before the survey by age groups and place of residence	51
Figure 7.3	Mean numbers of live births by mother's age	52
Figure 7.4	Mean numbers of live births according to duration since 1 st . marriage	53
Figure 7.5	Mean numbers of live births by marriage at first marriage	54
Figure 8.1	Mean numbers of living children of ever users at first use of family planning method	65
Figure 8.2	Percentages of using any method (traditional/modern) among married women by successive surveys and place of residence	67
Figure 9.1	Percent distribution of women who did not seek pregnancy care by place of last follow up	77
Figure 9.2	Percent distribution of the last birth during the five years before the survey by reason and place of residence	80
Figure 9.3	Percentages of women who reported specific signs And symptoms of delivery complications by place of residence	82
Figure 9.4	Percentages of women receiving postnatal care by place of care and place of residence	84
Figure 9.5	Percentages of women who suffer from health problems during their last miscarriage during the last five years preceding the survey	86
Figure 10.1	Percent distribution of ever married women aged 15-49 who reported that they suffered from menstrual disturbance during the last three cycles by source of consultation and place of residence	96

Figure11.1	Percentages of the women (15-49) suffering from some STD's during the 12 months preceding the survey by place of residence	102
Figure11.2	Percentages of the women (15-49) suffered from any STD's during the 12 months preceding the survey and did not seek for consultation for treatment by reason and place of residence	103
Figure 14.1	Percentages of mothers who had weaned their children abruptly according to place of residence and mother's education level	119
Figure 16.1	percentages of last born alive children under 5 years of age with respiratory infections during the two weeks prior to the survey by sex of child	126
Figure 16.2	Percentages of children who have had diarrhea in the two weeks preceding the survey, and did not seek medical consultation by reason and place of residence	130
Figure 16.3	Percentages of children who have had diarrhea in the two weeks preceding the survey, and did not seek medical consultation by reason and place of residence	131
Figure 17.1	Percentages of currently married women who think that their husbands approve family planning use by number of living children	141
Figure 17.2	Mean ideal age at marriage for daughters among ever-married women (15-49) years according to place of residence and education level	148
Figure 17.3	Ideal desired numbers of children for daughters among ever-married women (15-49) years according to place of residence and education level	148
Figure 18.1	Percent distribution of daughters who have been circumcised by person who performed circumcision by place of residence	151
Figure 18.2	Percentages of women who know female circumcision and who favor continuation of female circumcision by place of residence and education level	153
Figure 18.3	Percentages of women who know female circumcision and who favor discontinuation of female circumcision by place of residence and education level	153
Figure 18.4	Percentages of married women and their husbands' who favor discontinuation of female circumcision by place of residence and education level	154
Figure 18.5	Percent distribution of women who had been beaten during the last two years before the survey by reason and place of residence	155
Figure 19.1	Percentages of dead mothers according to type of health problems they experience	160

Figure 19.2	Percentages of dead mothers who suffer from any health problems during any of their previous pregnancies by type of health problem	161
Figure 19.3	Percent distribution of dead mothers who did not receive any care during there pregnancy by reason	162
Figure 19.4	Percent distribution of mothers who died during or after delivery by place of last delivery	163
Figure 19.5	Percent distribution of mothers who died during delivery by time of death	163
Figure 19.6	Percentages of dead mothers who suffer from any centimes directly before dying by type	164